



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/682,996	11/06/2001	Thomas F. Papallo JR.	41PR-7688 (GEN-0264)	4682

23413 7590 05/09/2003

CANTOR COLBURN, LLP  
55 GRIFFIN ROAD SOUTH  
BLOOMFIELD, CT 06002

EXAMINER
----------

LEJA, RONALD W

ART UNIT	PAPER NUMBER
----------	--------------

2836

DATE MAILED: 05/09/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/682,996

Applicant(s)

PAPALLO, JR. ET AL.

Examiner

Ronald W Leja

Art Unit

2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period of Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 February 2002.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-36 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 February 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4. 6) ☐ Other: \_\_\_\_\_

Art Unit: 2836

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Engel et al. (5,861,683) in view of Weynachter (6,127,742).

Engel et al. disclose a panelboard for distributing electricity within a consumer's residence (see Fig. 1). There is a plurality of branch circuits (44,46,48,49,52,62), each protected with a circuit breaker. Circuit breakers (28,30) are controllable from an electronic control module (36); module (36) also monitors breakers (20,28). Current transformers (32,46) are used and the controlled breakers

Art Unit: 2836


(28,30) have an electromagnetic actuator (see Fig. 2). The controller (36) is also in communication with a host controller (40) via a local area network and a second host controller (38) which may be a remote computer. Engel et al. do not appear to control the main circuit breaker (42) nor that trip settings can be provided by control module or host controllers as the gist of Engle et al. is drawn to load control/shedding. However, Weynachter teach the use of removable/replaceable circuit breakers (2), which can communicate over a communication network (6). The breakers have current sensors (12) and setting devices (11) for setting current thresholds and time delays (i.e. short, long delays); the setting device (11) is accessible by the user (i.e. switches, pushbuttons, readouts and displays). See Col. 6, lines 29-51. The setting values can also be received remotely over the communication lines (6) from another source. It would have been obvious to one having ordinary skill in the art at the time of the invention to incorporate the teachings of Weynachter into the panelboard system of Engel et al. so as to be able to set new breakers when the circuit breakers are being replaced or to be able to customize when different loads having different load requirements are to be connected to the particular branch circuit, thereby increasing applications, ensuring the desired load protection and avoiding unnecessary nuisance trippings. It would have been obvious to be able to control the main circuit breaker via the controller as a means to remotely trip the breaker for maintenance purposes, thereby increasing safety.

Art Unit: 2836

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ronald W Leja whose telephone number is (703)308-2008. The examiner can normally be reached on mon-fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (703)308-3119. The fax phone numbers for the organization where this application or proceeding is assigned are (703)305-3432 for regular communications and (703)305-3431 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3675.

  
Ronald W Leja  
Primary Examiner  
Art Unit 2836

rwl  
May 4, 2003

